01/09/91 " USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : QUALITY-DATA

PROJECT : CDM

SHORT NAME : QUALITY-DATA PROPONENT : DACC

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

Items of measuring the effective accomplishment of a project management plan against determined critical parameters.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific MORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** QUALITY-DATA-IDENTIFIER

A unique identifier for the items measuring the effective accomplishments of a project management plan against determined critical parameters

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH: 10 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-10

*** QUALITY-DATA-TEXT

Text describing the effective accomplishment of a project management plan against determined critical parameters. (Strawman

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR MATIVE

DOMAIN NAME: LONG-TEXT

USACE ENCYCLOPEDIA 01/09/91

DATA ADMINISTRATION DICTIONARY REPORT 15:10:32

ENTITY : REAL-PROPERTY

PROJECT : CDM

PROPONENT : CERE SHORT NAME : REAL-PROPERTY

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-OCT-89

Land including the surface, whatever is attached to the surface including buildings or trees, whatever is beneath the surface, the surface, the area above the surface and appurtenant. Real property is a type of resource and more data about it can be found in its generalization, RESOURCE. Real property includes e.g. labs.

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

TYPE: KEY PROPONENT: SHORT NAME:

FOREIGN FORMAT: CHAR FIELD LENGTH: 10

DOMAIN NAME: RESOURCE-CODE

*** REAL-PROPERTY-NUMBER

A number which uniquely indentifies REAL-PROPERTY.

TYPE: NON-KEY SHORT NAME: PROPONENT: NATIVE

FORMAT: NUM FIELD LENGTH: 5

DOMAIN NAME: FACILITY-NUMBER

01/09/91 USACE ENCYCLOPEDIA
15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

DAIN PRINTED DIGITORALI ALFORT

ENTITY : RESOURCE PROJECT : CDM

SHORT NAME : RESOURCE PROPONENT : DACC/CECW/CEMP

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

The material, manpower, services, real property, bulk or equipment to

perform the Corps' mission.

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH: 10 FORMAT: CHAR NATIVE

DOMAIN NAME: RESOURCE-CODE

*** PARENT-RESOURCE-CODE.RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 10 FORNAT: CHAR FOREIGN

DOMAIN NAME: RESOURCE-CODE

*** RESOURCE-DESCRIPTION

A detailed description of the RESOURCE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 120 TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: MEDIUM-TEXT

*** RESOURCE-NAME

The name which identifies or describes a resource

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 39 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-39

*** RESOURCE-SHORT-NAME

Short name for the RESOURCE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 20 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-20

*** RESOURCE-TYPE

A unique code used to determine whether a resource is one of the five standard resource types or an aggregate of all resources (bulk

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 5 FORMAT: CHAR NATIVE

DOMAIN NAME: RESOURCE-TYPE

01/09/91

USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : RESOURCE-ELEMENT-OF-RESOURCE

PROJECT : CDM

SHORT NAME : RESOURCE-ELEMENT-OF-RESOURCE PROPONENT : CERM

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

A table which contains the standard resources used to accomplish the Corp's mission related to each element of resource that can be used

with that standard resource.

*** ELEMENT-OF-RESOURCE-CODE

A code used to identify the kind and the type of resource by nature rather than purpose as specified by Army regulations

SHORT NAME: TYPE: KEY

FIELD LENGTH: 4 FORMAT: CHAR FORE I GN

DOMAIN NAME: ELEMENT-OF-RESOURCE-CODE

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 10 FORMAT: CHAR FOREIGN

DOMAIN NAME: RESOURCE-CODE

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

: RESOURCE-ESTIMATE

PROJECT : CDM

SHORT NAME : RESOURCE-ESTIMATE PROPONENT : CECW/CEMP

: REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90 STATUS

The estimated amount of a resource which is required for the carrying

out of a work-item.

*** RESOURCE-ESTIMATE-CONTROL-NUMBER

A sequential control number used to identify a RESOURCE-ESTIMATE.

TYPE: KEY SHORT NAME: PROPONENT: FORMAT: CHAR MATIVE FIELD LENGTH: 10

DOMAIN NAME: CHARACTER-10

*** CHANGE-REQUEST-NUMBER

A unique number generated by the system identifying a specific CHANGE-

REQUEST. (Could be for a current working estimate.)

TYPE: NON-KEY DOCOCHEUT . SHORT NAME:

FIELD LENGTH: 10 FORMAT: CHAR **FOREIGN**

DOMAIN NAME: CHARACTER-10

*** ESTIMATED-RESOURCE-CODE.RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any

component in a breakdown thereof, e.g., manner.

TYPE: NON-KEY SHORT NAME: PROPONENT:

FORE I GN FIELD LENGTH: 10 FORMAT: CHAR

DOMAIN NAME: RESOURCE-CODE

*** ESTIMATING-ORG-CODE.ORGANIZATION-CODE

A unique code which identifies an organization within the Corps of

Engineers. Breakdown of the code is as follows:

CHAR # Division 1 District 2

Dir/Division 3

Branch 4.5

Section 6.7

The first two characters are the MSC (Major Subordinate Command) code, formerly known as the EROC (Engineering Reporting Organization Code).

TYPE: NON-KEY PROPONENT: SHORT NAME: FORE I GN

TYPE: LIST FORMAT: CHAR FIELD LENGTH: 7

DOMAIN NAME: ORGANIZATION-CODE

*** INFLATION-INDEX-ECONOMIC-INDICATOR

Inflationary trend/forecast indication, normally presented on a

regional basis.

PROPONENT: TYPE: NON-KEY SHORT NAME:

FOREIGN

DOMAIN NAME:

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

*** INFLATION-INDEX-FISCAL-YEAR

Fiscal year for which the INFLATION-FACTOR applies. Note that last fiscal year inflation rate is used in the calculations for the out years (beyond the last FY).

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

FOREIGN

DOMAIN NAME: FISCAL-YEAR

*** METHOD-OF-ACCOMPLISHMENT-CODE

A code which indicates whether work will be performed, for example via inhouse, by CONTRACT, or by reimbursable order. The manner by which the work is accomplished.

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

FIELD LENGTH: 3

TYPE: LIST FORMAT: CHAR

FOREIGN

DOMAIN NAME: METHOD-OF-ACCOMPLISHMENT-CODE

*** RESOURCE-MOA.METHOD-OF-ACCOMPLISHMENT-CODE

A code which indicates whether work will be performed, for example via inhouse, by CONTRACT, or by reimbursable order. The manner by which the work is accomplished.

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

FIELD LENGTH: 3

TYPE: LIST FORMAT: CHAR

FOREIGN

DOMAIN NAME: METHOD-OF-ACCOMPLISHMENT-CODE

*** RESOURCE-PLAN-NUMBER

A unique number which identifies a specific RESOURCE-PLAN

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

FIELD LENGTH: 10

DOMAIN NAME: CHARACTER-10

FORMAT: CHAR FOREIGN

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME:

PROPONENT:

TYPE: NON-KEY

FIELD LENGTH: 6

FORMAT: CHAR

FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

The estimated amount for a resource for carrying out a work-item.

SHORT NAME:

*** RESOURCE-ESTIMATE-AMOUNT

PROPONENT:

TYPE: NON-KEY

SHUK! NAME:

FIELD LENGTH: 14 DECIMAL LENGTH: 2

FORMAT: NUM

NATIVE

DOMAIN NAME: AMOUNT

01/09/91 USACE ENCYCLOPEDIA
15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

*** RESOURCE-ESTIMATE-APPROVAL-DATE

The date (day, month and year) that the RESOURCE-ESTIMATE was approved.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** RESOURCE-ESTIMATE-BUDGET-LINE-SYMBOL-CODE

Budget line item status symbolism, designating the "budget phase" of a budget line item over a period of time.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 1 FORMAT: CHAR NATIVE

DOMAIN NAME: BUDGET-LINE-SYMBOL-CODE

*** RESOURCE-ESTIMATE-COMPONENT-TYPE

A further breakdown of the resource amount. Can indicate, e.g., that it is for a "capability amount", or, it is for a "decrement amount".

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 1 TYPE: LIST FORMAT: CHAR NATIVE

DOMAIN NAME: RESOURCE-ESTIMATE-COMPONENT-TYPE

*** RESOURCE-ESTIMATE-CONTINGENCY-AMOUNT

The contingency amount that is available for use. Please see ER 5-2-1.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 14 DECIMAL LENGTH: 2 FORMAT: NUM NATIVE

DOMAIN NAME: AMOUNT

*** RESOURCE-ESTIMATE-END-DATE

The estimate end date (day, month, and year) for the use of the RESOURCE that is the basis for the RESOURCE-ESTIMATE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** RESOURCE-ESTIMATE-FUNCTION-IDENTIFIER

Primary functional work area to which the RESOURCE will be applied.

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE

DOMAIN NAME: FUNCTION-IDENTIFIER

01/09/91 "USACE ENCYCLOPEDIA
15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

*** RESOURCE-ESTIMATE-METHODOLOGY-CODE

Indicates the method used to arrive at the resource estimate. For example, may indicate that a particular automated tool was used to compute the estimate.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 15 TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: RESOURCE-ESTIMATE-METHODOLOGY-CODE

*** RESOURCE-ESTIMATE-OBLIGATION-EXPENDITURE-TYPE

Indicates whether this estimate is for an obligation or an expenditure.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 1 TYPE: LIST FORMAT: CHAR NATIVE

DOMAIN NAME: OBLIGATION-EXPENDITURE-TYPE

*** RESOURCE-ESTIMATE-QUANTITY

The quantity in the RESOURCE-ESTIMATE expressed in a specific unit of measure. Examples may be acres, buildings, gallons, each, boxes, barrels, and so on.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 10 DECIMAL LENGTH: 2 FORMAT: NUM NATIVE

DOMAIN NAME: COUNT

*** RESOURCE-ESTIMATE-START-DATE

The estimated start day (day, month and year) for the use of the RESOURCE that is the basis for the RESOURCE-ESTIMATE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** RESOURCE-ESTIMATE-STATUS-CODE

A code which describes the status of a RESOURCE-ESTIMATE. For example, it may be a detailed breakdown of labor and material costs or it may be a very preliminary estimate.

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE

DOMAIN NAME:

*** RESOURCE-ESTIMATE-TEXT

Text describing or explaining a RESOURCE-ESTIMATE.

SHORT NAME: PROPONENT: TYPE: MON-KEY
FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

01/09/91 " USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

*** RESOURCE-ESTIMATE-UNIT-OF-MEASURE-IDENTIFIER

The units by which this RESOURCE is scheduled or consumed (e.g. hours, tons, etc.).

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 2 FORMAT: CHAR NATIVE

DOMAIN NAME: UNIT-OF-MEASURE-CODE

*** RESOURCE-ESTIMATE-UPDATE-DATE

The date (day, month and year) that the RESOURCE-ESTIMATE was last updated.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** RESOURCE-ESTIMATE-UPDATE-IDENTIFIER

The identifier of the person or ORGANIZATION who last updated the RESOURCE-ESTIMATE.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

01/09/91

USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : RESOURCE-PLAN

PROJECT : CDM

SHORT NAME : RESOURCE-PLAN PROPONENT : CECW/CEMP

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

The anticipated use of services, materials, manpower, real property, or equipment to accomplish a specific work item. The summation of all

resource-estimates of a work-item.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** RESOURCE-PLAN-NUMBER

A unique number which identifies a specific RESOURCE-PLAN

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 10 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-10

*** EMPLOYEE-IDENTIFIER

This is a unique number identifying a specific government employee

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 11 FORMAT: CHAR FOREIGN

DOMAIN NAME: EMPLOYEE-IDENTIFIER

*** FORCES-CONFIGURATION-FUNCTION-CODE

Functional breakdown of FORCE-CONFIGURATION, e.g. for power or

navigation.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FORE I GN

DOMAIN NAME:

*** FORCES-CONFIGURATION-YEAR

Year for which this configuration of forces estimate is in effect.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 4 FORMAT: NUM FOREIGN

DOMAIN NAME: YEAR

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

*** ORGANIZATION-CODE

A unique code which identifies an organization within the Corps of Engineers. Breakdown of the code is as follows:

CHAR #

Division 1 District 2

Dir/Division 3

Branch 4.5 Section 6.7

The first two characters are the MSC (Major Subordinate Command) code, formerly known as the EROC (Engineering Reporting Organization Code).

TYPE: NON-KEY PROPONENT: SHORT NAME: **FORE I GN**

TYPE: LIST FORMAT: CHAR FIELD LENGTH: 7

DOMAIN NAME: ORGANIZATION-CODE

*** RESOURCE-PLAN-APPROVAL-DATE

The date (day, month and year) of the approval of the RESOURCE-PLAN

PROPONENT: TYPE: NON-KEY SHORT NAME:

FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** RESOURCE-PLAN-DATE

The date on which the plan and associated estimate were made.

TYPE: NON-KEY SHORT NAME: PROPONENT:

NATIVE FIELD LENGTH: 9 FORMAT: DATE

DOMAIN NAME: CALENDAR-DATE

*** RESOURCE-PLAN-PERIOD

A type code which indicates whether the estimates of a RESOURCE-PLAN are for the work item's life-cycle, current fiscal year, quarter or

month

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 3 FORMAT: CHAR NATIVE

DOMAIN NAME: RESOURCE-PLAN-DURATION-TYPE

*** RESOURCE-PLAN-PRICE-LEVEL-DATE

The date (day, month, and year) on which price levels were factored

into the RESOURCE-PLAN.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 9 FORMAT: DATE MATIVE

DOMAIN NAME: CALENDAR-DATE

01/09/91 "USACE ENCYCLOPEDIA
15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

*** RESOURCE-PLAN-REASON-CODE

Code to indicate why a RESOURCE-PLAN was done; e.g., original plan, update due to revised dates for specific RESOURCE's.

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE

DOMAIN NAME:

*** RESOURCE-PLAN-STAGE-CODE

Indicates the stage of the RESOURCE-PLAN for this time period.

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE

DOMAIN NAME:

*** RESOURCE-PLAN-STATUS-CODE

A code which describes the status of the RESOURCE-PLAN. For example it may be not yet authorized.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 2 TYPE: LIST FORMAT: CHAR NATIVE

DOMAIN NAME: RESOURCE-PLAN-STATUS-CODE

01/09/91 USACE ENCYCLOPEDIA 15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : SERVICE PROJECT : CDM

SHORT NAME : SERVICE PROPONENT : CECW/CEMP

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

> Tasks performed, normally indirect, related to supporting a project. SERVICE is a type of RESOURCE, and more data about it can be found

in its generalization, RESOURCE.

*** RESOURCE-CODE

A code which identifies a RESOURCE used to accomplish the Corps mission. The code may identify a standard RESOURCE type of any component in a breakdown thereof, e.g., manner.

SHORT NAME: PROPONENT: TYPE: KEY FIELD LENGTH: 10 FORMAT: CHAR **FOREIGN**

DOMAIN NAME: RESOURCE-CODE

01/09/91 " USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : SUBPROJECT

PROJECT : CDM

SHORT NAME : SUBPROJECT PROPONENT : CECH-LM

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-NOV-90

A logical subdivision of a project. SUBPROJECT is a type of WORK-ITEM, and more data can be found in its generalization entity, WORK-

ITEM.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : SUSPENSE-ITEM

PROJECT : CDM

SHORT NAME : SUSPENSE-ITEM PROPONENT : DACC

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

Crucial item that requires action by a determined date. Follow-up

through completion/resolution/disposition. .

*** SUSPENSE-WI-CODE.WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** SUSPENSE-ITEM-IDENTIFIER

A unique, sequencial number per WORK-ITME-CODE.

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH; 10 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-10

*** ADDRESSEE-IDENTIFIER

A computer generated code which uniquely identifies an ADDRESSEE.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FOREIGN

DOMAIN NAME: ADDRESSEE-IDENTIFIER

*** EMPLOYEE-IDENTIFIER

This is a unique number identifying a specific government employee

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 11 FOREIGN
FOREIGN

DOMAIN NAME: EMPLOYEE-IDENTIFIER

*** SUSPENSE-ITEM-ACTUAL-END-DATE

The date (day, month and year) that a SUSPENSE-ITEM is accomplished

and no further action is required.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** SUSPENSE-ITEM-COMMENT

Provides comment information about the SUSPENCE-ITEM, such as its source (including any referenceces about this source, such as the source document and section number[s]) This may include reference to the impact of the SUSPENSE-ITEM such as noting the cost impact as zero, plus or minus. This is not the description of the SUSPENCE-ITEM itself.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

01/09/91 15:10:32 USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

*** SUSPENSE-ITEM-CREATE-DATE

The date (day, month and year) that a SUSPENSE-ITEM is actually created; not necessarily the date that it is entered into the system.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** SUSPENSE-ITEM-DESCRIPTION

The description of the action required, or of the issues or problem

to be resolved.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

*** SUSPENSE-ITEM-DISPOSITION-TEXT

The description of the final solution or reassignment of a particular

issue.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

*** SUSPENSE-ITEM-FORECAST-END-DATE

The most recent unapproved date (day, month and year) scheduled

for the completion of the SUSPENSE-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 9 FORMAT: DATE MATIVE

DOMAIN NAME: CALENDAR-DATE

*** SUSPENSE-ITEM-ORIGINAL-END-DATE

The date (day, month and year) originally scheduled for the completion of a SUSPENSE-ITEM. It is the first scheduled completion

date entered into the system for the SUSPENSE-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** SUSPENSE-ITEM-REVISED-END-DATE

The most recent date (day, month and year) that was scheduled for completion of the SUSPENSE-ITEM, and was also approved.

approved. (Strawman

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

01/09/91	et .	USACE ENCYCLOPEDIA
15:10:32		DATA ADMINISTRATION DICTIONARY REPORT
		DAIN ADDITION DIGITARING REPORT

*** SUSPENSE-ITEM-TYPE

Indicates the type of the suspense item; e.g. may be guidance, directive, action item from a meeting.

SHORT NAME: PROPONENT: TYPE: NON-KEY NATIVE

DOMAIN NAME:

01/09/91 " USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : TASK PROJECT : CDM

SHORT NAME : TASK PROPONENT : CECH-LM

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-NOV-90

Work to be done to contribute to the Corps' mission. TASK is a type of WORK-ITEM, and more data can be found in its generalization entity,

WORK-ITEM.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** TASK-TYPE

Designates the type of TASK, e.g., in a user-defined hierarchy.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 1 TYPE: LIST FORMAT: CHAR MATIVE

DOMAIN NAME: SOLICITATION-TYPE

NATIVE

01/09/91

USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : VALID-APPROPRIATION-RESTRICTION

PROJECT : COM

SHORT NAME : VALID-APPROPRIATION-RESTRICTIO PROPONENT : CERM

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

A table which lists the appropriation restriction codes and their

descriptions.

*** VALID-APPROPRIATION-RESTRICTION-CODE

A code that identifies restrictions on an appropriation.

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 5 FORMAT: CHAR NATIVE

DOMAIN NAME: VALID-APPROPRIATION-RESTRICTION-CODE

*** VALID-APPROPRIATION-RESTRICTION-DESCRIPTION

A description of the applicable restriction code which designates a

restriction on the use of an appropriation.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 39 FORMAT: CHAR

DOMAIN NAME: CHARACTER-39

01/09/91 " USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : WORK-COMMAND-ASSOCIATIVE

PROJECT : CDM

SHORT NAME : NORK-COMMAND-ASSOCIATIVE PROPONENT : CECW/CEMP

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 17-SEP-90

An associative entity relating many COMMAND-WORK-CLASSIFICATIONs

to many WORK-ITEMs.

*** COMMAND-WORK-CLASSIFICATION-CODE

A code used to identify a COMMAND-WORK-CLASSIFICATION. For example, may be a code for the type of construction, or for a program package, or for Corps S and A only, or for uniform (or non-uniform) rates, or a special category code

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 10 TYPE: LIST FORMAT: CHAR FOREIGN

DOMAIN NAME: COMMAND-CLASSIFICATION-CODE

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY

FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** WORK-COMMAND-ASSOCIATIVE-COMMENT

Text describing intersection of the WORK-ITEM with the Command Work Classification.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

*** WORK-COMMAND-ASSOCIATIVE-PRIORITY-CODE

An indication of the priority of this classification in project execution.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 3 FORMAT: NUM NATIVE

DOMAIN NAME: PRIORITY-CODE

01/09/91 '' USACE ENCYCLOPEDIA
15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : WORK-ITEM PROJECT : CDM

SHORT NAME : WORK-ITEM PROPONENT : CECW-LM

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 13-NOV-90

A separate or uniquely identifiable effort for which it is necessary to collect data for management purposes. A WORK-ITEM has a definable output which contributes to the Corps' mission. A WORK-ITEM may be a single task or an associated collection of tasks. WORK-ITEM's may be Projects, Sub-Projects, or other lower level tasks, e.g., separable elements, line items.

*** WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: KEY
FIELD LENGTH: 6 FORMAT: CHAR NATIVE

DOMAIN NAME: WORK-ITEM-CODE

*** AUTHORITY-IDENTIFIER

A unique identifier for the authority.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 20 FORMAT: CHAR FOREIGN

DOMAIN NAME: CHARACTER-20

*** PARENT-WI-CODE.WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** WORK-ITEM-ASSIGNED-DATE

The date (day, month, and year) a WORK-ITEM is assigned to a responsible organization for accomplishment.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** WORK-ITEM-ASSIGNED-NUMBER

The number assigned to a WORK-ITEM (not the unique WORK-ITEM code). Can be an internally assigned sequence number that would be unique within a PROJECT or SUBPROJECT.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 10 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-10

01/09/91

USACE ENCYCLOPEDIA
DATA ADMINISTRATION DICTIONARY REPORT

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

*** WORK-ITEM-CANCELLATION-CODE

The code indicating the reason that the WORK-ITEM was cancelled.

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE

DOMAIN NAME:

*** WORK-ITEM-CANCELLATION-DATE

The date (day, month and year) on which the WORK-ITEM was cancelled.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 9 FORMAT: DATE WATIVE

DOMAIN NAME: CALENDAR-DATE

*** WORK-ITEM-CANCELLATION-TEXT

Text describing the reason, circumstances, and other characteristics

of the cancellation of the WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

*** WORK-ITEM-CASH-INDICATOR

Denotes cash or non-cash contribution.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 1 TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: YES-NO

*** WORK-ITEM-CONSTRUCTION-STANDARD-CODE

A code to identify the construction standard for the facility being

constructed

SHORT NAME: PROPONENT: TYPE: NON-KEY

FORMAT: CHAR NATIVE

DOMAIN NAME: CONSTRUCTION-STANDARD-CODE

*** WORK-ITEM-CRRC-PROPONENT-NAME

The name of the representative within the Construction Requirements

Review Committee who is the proponent of the project.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 30 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-30

*** WORK-ITEM-DESCRIPTION

A detailed description of the WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: VAR TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: LONG-TEXT

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

......

*** WORK-ITEM-ESTIMATED-DURATION

The estimated duration required to accomplish a WORK-ITEM.

PROPONENT: TYPE: NON-KEY SHORT NAME:

FIELD LENGTH: 4 FORMAT: NUM NATIVE

DOMAIN NAME: DAYS-DURATION

*** WORK-ITEM-EXECUTION-AWARD-DATE

The date on which the total project (including all sub-projects) is considered as executed in accordance with OSD guidance. Refers to WORK-ITEM-EXECUTION-CODE.

SHORT NAME: PROPONENT: TYPE: NON-KEY NATIVE

FIELD LENGTH: 9 FORMAT: DATE

DOMAIN NAME: CALENDAR-DATE

*** WORK-ITEM-EXECUTION-CODE

The code associated with WORK-ITEM-EXECUTION-AWARD-DATE. Execution in terms of under construction, awarded only, etc.

SHORT NAME: PROPONENT: TYPE: NON-KEY FIELD LENGTH: 1 FORMAT: CHAR NATIVE

DOMAIN NAME: EXECUTION-CODE

*** WORK-ITEM-EXECUTION-STATUS-CODE

The status of execution in any one fiscal year, such as carryover projects from previous years, authorized only, not apportioned, etc.

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE FIELD LENGTH: 1 TYPE: LIST FORMAT: CHAR

DOMAIN NAME: EXECUTION-STATUS-CODE

*** WORK-ITEM-FISCAL-YEAR

Used to produce a budget report for a particular fiscal year, at a particular WORK-ITEM version number.

TYPE: NON-KEY SHORT NAME: PROPONENT:

FIELD LENGTH: 4 FORMAT: NUM NATIVE

DOMAIN NAME: YEAR

*** WORK-ITEM-FULL-NAME

The complete, unabbreviated name of the WORK-ITEM.

PROPONENT: TYPE: NON-KEY SHORT NAME:

FIELD LENGTH: 120 TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: MEDIUM-TEXT

*** WORK-ITEM-FUNCTION-CODE

Primary function which the WORK-ITEM serves.

PROPONENT: TYPE: NON-KEY SHORT NAME:

NATIVE

DOMAIN NAME:

> 01/09/91 15:10:32

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

*** WORK-ITEM-GOVERNMENT-ESTIMATE-AMOUNT

An estimate, by government estimators and regulations, of fair and reasonable cost for a WORK-ITEM.

TYPE: NON-KEY PROPONENT: SHORT NAME: FORMAT: NUM NATIVE FIELD LENGTH: 14 DECIMAL LENGTH: 2

DOMAIN NAME: AMOUNT

*** WORK-ITEM-INDIRECT-OVERHEAD-CODE

Indicates if the system is to automatically generate overheads and

indirects from stored date or not.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FORMAT: CHAR NATIVE FIELD LENGTH: 1

DOMAIN NAME: INDIRECT-OVERHEAD-INDICATOR

*** WORK-ITEM-INFLATION-START-FISCAL-YEAR

Year inflation factor was first applied to the PROJECT.

TYPE: NON-KEY SHORT NAME: PROPONENT: NATIVE

FIELD LENGTH: 4 FORMAT: NUM

DOMAIN NAME: YEAR

*** WORK-ITEM-LAST-UPDATE-DATE

The last date that the WORK-ITEM was updated in the system.

TYPE: NON-KEY SHORT NAME: PROPONENT:

FORMAT: DATE NATIVE FIELD LENGTH: 9

DOMAIN NAME: CALENDAR-DATE

*** WORK-ITEM-LAST-UPDATE-IDENTIFIER

Identifier of the last ORGANIZATION (or person) to update the WORK-

ITEM.

TYPE: NON-KEY PROPONENT: SHORT NAME:

FIELD LENGTH: 20 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-20

*** WORK-ITEM-LAST-UPDATE-TIME

The time of the last update that the WORK-ITEM was updated in

the system.

PROPONENT: TYPE: NON-KEY SHORT NAME:

FIELD LENGTH: 12 FORMAT: CHAR NATIVE

DOMAIN NAME: LOCAL-TIME

*** WORK-ITEM-LOCAL-PRIORITY-CODE

The local priority of the WORK-ITEM.

TYPE: NON-KEY PROPONENT: SHORT NAME:

NATIVE FORMAT: NUM FIELD LENGTH: 3

DOMAIN NAME: PRIORITY-CODE

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

*** WORK-ITEM-MISSION-CODE

A code used to indicate whether the project is to serve a new mission, a current mission, or to replace and modernize an existing facility in accordance with the following definitions:

1 = New and expanded missions: construction projects in direct support of new or expanded missions that are scheduled to be activated at an installation during the budget or subsequent years. Includes projects required in direct support of equipment changes, generated by the transfer of activities and/or personnel because of base closures. 2 = Current missions: in direct support of missions already in place on an installation within the current year.

3 = Replacement and modernization: projects to replace a deteriorated, obsolete or inadequate facility by one of the same facility class with or without increase in floor area or capacity and/or upgrading of the facility to meet current criteria. It also includes alteration and conversion projects.

TYPE: NON-KEY PROPONENT: SHORT NAME: NATIVE FORMAT: NUM FIELD LENGTH: 1 TYPE: LIST

DOMAIN NAME: WORK-ITEM-MISSION-CODE

*** WORK-ITEM-MISSION-ORGANIZATION-TYPE

Indicates whether the WORK-ITEM serves a mission-oriented purpose, or whether it serves an organizational purpose.

TYPE: NON-KEY PROPONENT: SHORT NAME:

NATIVE

DOMAIN NAME:

*** WORK-ITEM-NAME

The name assigned to a work item

TYPE: NON-KEY SHORT NAME: PROPONENT: NATIVE

FIELD LENGTH: 59 FORMAT: CHAR

DOMAIN NAME: CHARACTER-59

*** WORK-ITEM-NONFEDERAL-ESTIMATE-PERCENT

An estimate of non-federal percentage of funds for the WORK-ITEM over its life cycle.

PROPONENT: TYPE: NON-KEY SHORT NAME:

FIELD LENGTH: 5 DECIMAL LENGTH: 2 FORMAT: NUM NATIVE

DOMAIN NAME: PERCENT

*** WORK-ITEM-OUT-YR-INFLATION-CODE

Indicates whether out-years have an inflation factor applied.

TYPE: NON-KEY PROPONENT: SHORT NAME: NATIVE FIELD LENGTH: 1 FORMAT: CHAR

DOMAIN NAME: OUT-YEAR-INFLATION-INDICATOR

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

*** WORK-ITEM-PHASE-CODE

The phase that the WORK-ITEM is part of. For example, the phase may be planning (feasibility), design, construction, or multiple phases

TYPE: NON-KEY SHORT NAME: PROPONENT: NATIVE TYPE: LIST FORMAT: CHAR

FIELD LENGTH: 2 DOMAIN NAME: WORK-ITEM-PHASE-CODE

*** WORK-ITEM-PREVIOUS-AUTHORIZATION-CODE

Code used to track projects which have been previously authorized, but for which there has not yet been an appropriation. (This element requires more precise definition.)

TYPE: NON-KEY PROPONENT: SHORT NAME: FORMAT: CHAR NATIVE FIELD LENGTH: 2

DOMAIN NAME: WI-PREVIOUS-AUTHORIZATION-CODE

*** WORK-ITEM-PRIMARY-DELAY-CODE

Code applicable to record the current, principal cause of a slippage to scheduled progress. This field will also be used to reflect current or potential problem areas, even though scheduled progress is currently being maintained.

TYPE: NON-KEY PROPONENT: SHORT NAME: NATIVE FORMAT: CHAR FIELD LENGTH: 2 TYPE: LIST

DOMAIN NAME: WORK-ITEM-DELAY-CODE

*** WORK-ITEM-PUBLIC-LAW-CODE

THE PUBLIC LAW CODE ASSOCIATED WITH THE PROJECT

TYPE: NON-KEY SHORT NAME: PROPONENT:

NATIVE

DOMAIN NAME:

*** WORK-ITEM-QUANTITY

The number of units in the WORK-ITEM, for example the number of barracks.

TYPE: NON-KEY PROPONENT: SHORT NAME: NATIVE

DOMAIN NAME: COUNT

DECIMAL LENGTH: 2 FORMAT: NUM FIELD LENGTH: 10

*** WORK-ITEM-RECEIVED-DATE

The date (day, month, and year) the work item is received by the organization.

PROPONENT: TYPE: NON-KEY SHORT NAME: MATIVE FORMAT: DATE FIELD LENGTH: 9

DOMAIN NAME: CALENDAR-DATE

NATIVE

01/09/91 15:10:32

USACE ENCYCLOPEDIA DATA ADMINISTRATION DICTIONARY REPORT

*** WORK-ITEM-SECONDARY-DELAY-CODE

Code used to record a second, significant delay when there is more than one delaying factor with current or potential impact on scheduled progress.

TYPE: NON-KEY PROPONENT: SHORT NAME: NATIVE

TYPE: LIST FORMAT: CHAR FIELD LENGTH: 2

DOMAIN NAME: WORK-ITEM-DELAY-CODE

*** WORK-ITEM-SEPARABLE-ELEMENT-CODE

Indicates that the WORK-ITEM is an incrementally funded unit or work.

TYPE: NON-KEY PROPONENT: SHORT NAME:

NATIVE TYPE: TEXT FORMAT: CHAR FIELD LENGTH: 1

DONAIN NAME: YES-NO

*** WORK-ITEM-SHORT-NAME

Short name for the WORK-ITEM. Short titles in AR415-28, AFM300-4,

PB-2A should be used to the extent possible.

TYPE: NON-KEY PROPONENT: SHORT NAME:

NATIVE FORMAT: CHAR FIELD LENGTH: 20

DOMAIN NAME: CHARACTER-20

*** WORK-ITEM-SOURCE-DATE

Definition to be added

TYPE: NON-KEY PROPONENT: SHORT NAME:

NATIVE FIELD LENGTH: 9 FORMAT: DATE

DOMAIN NAME: CALENDAR-DATE

*** WORK-ITEM-SOURCE-NAME

The name of the organization or person requesting the performance of

a work item

TYPE: NON-KEY PROPONENT: SHORT NAME:

FORMAT: CHAR FIELD LENGTH: 20

DOMAIN NAME: CHARACTER-20

*** WORK-ITEM-STATUS-CODE

A code used to indicate if a WORK-ITEM has been accepted, rejected,

active, or deferred.

TYPE: NON-KEY PROPONENT: SHORT NAME:

NATIVE TYPE: LIST FORMAT: CHAR FIELD LENGTH: 2

DOMAIN NAME: WI-STATUS-CODE

01/09/91

USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

*** WORK-ITEM-STATUS-DATE

The date (day, month and year) that the WORK-ITEM status code was last

upua teu.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 9 FORMAT: DATE NATIVE

DOMAIN NAME: CALENDAR-DATE

*** WORK-ITEM-TYPE

A code which indicates whether a work item is a project, sub-project

or task

SHORT NAME: PROPONENT: TYPE: NON-KEY

NATIVE

NATIVE

NATIVE

FIELD LENGTH: 1 FORMAT: CHAR

DOMAIN NAME: WORK-ITEM-TYPE

*** WORK-ITEM-UNIT-OF-MEASURE-IDENTIFIER

The units by which the WORK-ITEM-QUANTITY is measured.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 2 FORMAT: CHAR

DOMAIN NAME: UNIT-OF-MEASURE-CODE

*** WORK-ITEM-VERSION-AUTOMATIC-UPDATE-CODE

Flag to denote if funding levels should be automatically updated when

the approved version number is modified.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 1 TYPE: TEXT FORMAT: CHAR NATIVE

DOMAIN NAME: YES-NO

*** WORK-ITEM-VERSION-NUMBER

The number of the level of the WORK-ITEM. A zero level indicator isa an approved level. Each level designates a different "copy" of the

WORK-ITEM date; for example, for "what if" analysis.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 1 FORMAT: CHAR

DOMAIN NAME: VERSION-NUMBER

*** WORK-ITEM-WORK-DAYS-CODE

Indicates the units of time, e.g., 5, 6, or 7 day work week, and the

work days per week.

SHORT NAME: PROPONENT: TYPE: MON-KEY

FIELD LENGTH: 7 FORMAT: CHAR NATIVE

DOMAIN NAME: TIME-UNIT

01/09/91 USACE ENCYCLOPEDIA

15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

ENTITY : WORK-ITEM-AGREEMENT

PROJECT : COM

SHORT NAME : WORK-ITEM-AGREEMENT PROPONENT : DACC/CECC

STATUS : REGISTERED STATUS DATE : 01-MAY-90 REVISION DATE : 30-MAR-90

A cross-reference of a WORK-ITEM to an AGREEMENT with associated data.

recording whether the AGREEMENT is a customer or supplier

relationship.

*** FUNDING-ACCT-RESOURCE-PLAN.RESOURCE-PLAN-NUMBER

A unique number which identifies a specific RESOURCE-PLAN

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 10 FORMAT: CHAR FOREIGN

DOMAIN NAME: CHARACTER-10

*** FUNDING-ACCT-RESOURCE-PLAN, WORK-ITEM-CODE

A code that uniquely identifies a specific WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 6 FORMAT: CHAR FOREIGN

DOMAIN NAME: WORK-ITEM-CODE

*** FUNDING-REGISTER-CONTROL-NUMBER

The sequential number assigned to uniquely identify an accounting classification listed on a funding authorization

SHORT NAME: PROPONENT: TYPE: NON-KEY
FIELD LENGTH: 10 FORMAT: CHAR FOREIGN

DOMAIN NAME: CHARACTER-10

*** WORK-ITEM-AGREEMENT-AMOUNT

Amount of dollars in the agreement that apply to this WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 14 DECIMAL LENGTH: 2 FORMAT: NUM NATIVE

DOMAIN NAME: AMOUNT

*** WORK-ITEM-AGREEMENT-CODE

Code for the amount, e.g., high bid, awarded amount.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 1 FORMAT: CHAR NATIVE

DOMAIN NAME: AGREEMENT-AMOUNT-CODE

*** WORK-ITEM-AGREEMENT-NONFEDERAL-PERCENT

Nonfederal percentage of funding for the WORK-ITEM, under this

AGREEMENT.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 5 DECIMAL LENGTH: 2 FORMAT: NUM NATIVE

DOMAIN NAME: PERCENT

01/09/91 USACE ENCYCLOPEDIA
15:10:32 DATA ADMINISTRATION DICTIONARY REPORT

DATA PRINCIPALISM FOR THE SAME AND THE SAME

*** WORK-ITEM-AGREEMENT-QUANTITY

The number of units in the WORK-ITEM under this AGREEMENT.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 10 DECIMAL LENGTH: 2 FORMAT: NUM NATIVE

DOMAIN NAME: COUNT

*** WORK-ITEM-AGREEMENT-SECTION-NUMBER

Principle section in the CONTRACT relating to the WORK-ITEM.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 10 FORMAT: CHAR NATIVE

DOMAIN NAME: CHARACTER-10

*** WORK-ITEM-AGREEMENT-UNIT-OF-MEASURE-IDENTIFIER

Unit of measure of the quantity. For example, may be buildings, acres.

SHORT NAME: PROPONENT: TYPE: NON-KEY

FIELD LENGTH: 2 FORMAT: CHAR NATIVE

DOMAIN NAME: UNIT-OF-MEASURE-CODE